

# **Age-Friendly Accessory Dwelling Unit (ADU)**Design Criteria

The competition's age-friendly design guidance is derived from Better Living Design Institute's (BLDI or BLD) Better Living Design features, which in turn is based on the principles of Universal Design. Because the residential environment is so special and particular, it really requires a different universal design approach compared to public spaces. We created BLDI to apply our understanding of universal design to the residential environment. The goal of UD and BLD applied to homes is to make them safer, and to add convenience and ease of use.

The functional **criteria list** provided for the competition is a subset of a much longer and more detailed **guidance document** that includes many more features and has three tiers of possible achievement. The age-friendly competition criteria includes essential elements that need to be part of a home that is safe and allows the older adult to maintain their lifestyle. Additionally, we are making available a document that will help explain the features and offer suggestions for additional features.

## **Mainstreamed Appearance**

The design criteria for this ADU design competition reveals a critical aspect of BLD (and universal design)— aesthetics, which helps to differentiate Better Living Design from design solutions that are just functional. With a BLD approach, usability characteristics are built-in and integrated into the overall scheme, and therefore mainstreamed—not separate and distinct. A BLD solution for this competition has to work well, look good and be marketable to a broad audience.

Over the course of its useful life, an age-friendly ADU might be occupied by individuals or couples across the age spectrum, young to old, and with varying ability levels. As such, these dwellings need to have improved functionality but need to appeal to a broad audience. While this competition is focused on the particular needs of older adults, no one wants to live in a home that has stereotypical or stigmatizing features. A winning design will demonstrate that they don't have to.

All features must be integrated into the overall design intent of the home. A successful ADU will have a mainstreamed appearance, inside and out. Incorporating the BLD guidance into your design will insure an ADU that is usable and easily adaptable.

## **Long-Term Flexibility**

While featuring far more utility than a standard home, a BLD home is not expected to eliminate the need for households to customize their home over time. Everyone customizes their home over time in a variety of ways, but BLD features will help to avoid the most costly and extensive remodeling that is most often associated with long-term livability.

#### Scale

Age-friendly (or Universal, or Better Living Design) is realized at both large and small scales. At the level of foundation type and grading, as well as door width. Bathroom size and fixture location matters, but so does door and window operability. Via ideation, plan callouts, and specifications, please identify the key design elements that make your project suitable for long term living by an older adult. The competition realizes that each element listed below might not be fully achieved but each item must be addressed in some form.

We welcome substantially equivalent solutions. If you have a creative or alternate solution that achieves the same result, don't hesitate to contact UDI.

## **AROUND THE HOUSE**

Paths (including steps along a path)		
	1:20 max slope	
	Min 42" wide surface	
	If present: step free route to gardens, remote patios, at-grade cooking eating areas	
Entrances		
	One zero-step entrance with minimum 60"x72" covering	
	Level (2%) landing at entry	
	36" wide entry door	

## **INSIDE THE HOUSE**

Doors/Cased openings		
Width		
At least 32" wide hinged door		
Sliding, pocket, barn doors at least 32" wide clear opening		
At least 36" wide cased openings		
Clearances		
18"-24" clear floor space beside door on pull side at latch jamb		
Windows		
48" Maximum hardware height for window controls		
Easily operable windows		
Hallways/Passages/Thresholds		
42" Wide minimum hallways (note: minimize hallways)		
Bathroom		
General		
Adequate maneuvering space provided at lavatory, toilet and bathing fixture		
Components of Bathroom		
Clear space (36") in front of toilet		
Toilet centered 18" from any side wall, cabinet, or tub		
Minimum $60'' \times 36''$ (48" preferred), curbless shower, <b>or</b> tub		
Controls		
Offset controls in tubs and showers for easy reach		
Controls unobstructed by other fixures and cabinetry		

<sup>\*</sup>When applicable, designs should meet or exceed the state building code

Kitchen		
Circulation		
Kitchen layout with 42" between cabinet faces		
Cabinets/Shelving/Drawers		
Drawer base cabinets		
Cabinets with loop or touch latches		
Appliances		
Range with front or side controls		
If wall mounted oven, controls no more than 48"H		
Locate microwave within easy reach range— i.e not over stove		
Work Surfaces		
Continuous countertop between stove and sink		
One lowered, 32" H, work surface with knee space (could be eat-in kitchen table)		
Che leweled, 92 11, work solided with kiles space (could be ear in kilenen lable)		
Laundry		
Clear floor space 36" wide across full width in front of washer and dryer		
Washer/Dryer unit(s) have controls on front = 54" aff</td		
Front loading washer and dryer		
Living Room/Flex Space		
Allow a 24" clear passage to maneuver between couch and coffee table		
Allow a min. 36" clear passage to maneuver to seating		
Bedroom(s)		
Allow for 36" clear aisle on one side of the bed and between bed and furniture		
Maximized storage in 18"-54" reach zone		
Allow for 36" clear aisle on both sides of bed and 36" clear passage between bed and furniture		
Indoor Environmental Quality (IEQ)		
Low VOC sheet products, cabinet materials, and floor and wall finishes		
Thermostats at 42"-48" aff		
Layered lighting		
Switches and Controls		
Lighting		
Light switches 42"-48" above floor		
All light switches are easy to operate		
Electrical Panel		
Locate 24"-54" aff with a minimum 30" x 48" clear floor space in front		
Outlets		
Locate general purpose convenience outlets 18"-24" aff		

Outlets over counters and tables are within reachable range
Added electrical outlets at beds and desks, 4-plex boxes each side
Outlet near toilet in bathroom

## WHOLE HOUSE FUNCTIONALITY

Maintenance	
	Low maintenance exterior siding
	If applicable, low maintenance decking